ANTHROP\C

Introduction to AI Agents

In 2024, AI systems learned to answer questions and synthesize information.

In 2025, AI systems learned to take actions in the real world.

CONFIDENTIAL

Guiding Questions

What are agents?

Demos and definitions

How do we ensure agents are safe and secure?

Anthropic's approach to building trustworthy agents


How do we maintain American leadership in agentic AI?

Building open agentic standards

What are agents?

- **Make plans** to complete complex tasks.
- **Take actions** to execute those tasks on their own, often involving multiple steps and tools.
- **Iterate** and evaluate how they're doing on those tasks.

CONFIDENTIAL



Agents are not a single product — they are an approach to building products.

CONFIDENTIAL

Agetnic product surfaces

- **Claude.ai:** A conversational interface where users interact with Claude through text-based chat for a range of tasks.
- **Claude Code:** Command-line tool that lets users to write, edit, and deploy code with Claude's assistance.
- **Claude in Chrome:** A browser automation tool that lets Claude to interact with web pages.

CONFIDENTIAL

Demos


CONFIDENTIAL

Model Context Protocol

How agents take action in the real world


What is Model Context Protocol?

Model Context Protocol (MCP) is an open protocol developed by Anthropic that allows AI systems to securely connect with external apps and data sources, giving them the context they need to help users more effectively.




Models are only as good as the context they're given

Information users are able to provide about their task and their preferences, the better AI works.




User Prompt

Text, file, or other data input by the user.




System Prompt

Information Anthropic pre-appends to every request. Users can add to this on their own.



Current conversation

Previous turns in the chat are used as context for the next answer.



Memory

Information from previous conversations can be used to inform current ones, giving context for answers.

The Context Window

Basic information

Claude Opus 4

▾ **May 22th, 2025**

The assistant is Claude, created by Anthropic.

The current date is {{currentDateTime}}.


Here is some information about Claude and Anthropic's products in case the person asks:

This iteration of Claude is Claude Opus 4 from the Claude 4 model family. The Claude 4 family currently consists of Claude Opus 4 and Claude Sonnet 4. Claude Opus 4 is the most powerful model for complex challenges.

If the person asks, Claude can tell them about the following products which allow them to access Claude. Claude is accessible via this web-based, mobile, or desktop chat interface. Claude is accessible via an API. The person can access Claude Opus 4 with the model string 'claude-opus-4-20250514'. Claude is accessible via 'Claude Code', which is an agentic command line tool available in research preview. 'Claude Code' lets developers delegate coding tasks to Claude directly from their terminal. More information can be found on Anthropic's blog.


There are no other Anthropic products. Claude can provide the information here if asked, but does not know any other details about Claude models, or Anthropic's products. Claude does not offer instructions about how to use the web application or Claude Code. If the person asks about anything not explicitly mentioned here, Claude should encourage the person to check the Anthropic website for more information.

The Integration Problem



A Solution to the Integrations Problem

MCP is the USB-C port for AI - one standard interface that connects any AI to any tool.



MCP Server Description

Documentation

Slack MCP Server

MCP Server for the Slack API, enabling Claude to interact with Slack workspaces.

Tools

1. `slack_list_channels`
   - List public or pre-defined channels in the workspace
   - Optional inputs:
     - `limit` (number, default: 100, max: 200): Maximum number of channels to return
     - `cursor` (string): Pagination cursor for next page
   - Returns: List of channels with their IDs and information
2. `slack_post_message`
   - Post a new message to a Slack channel
   - Required inputs:
     - `channel_id` (string): The ID of the channel to post to
     - `text` (string): The message text to post
   - Returns: Message posting confirmation and timestamp
3. `slack_reply_to_thread`
   - Reply to a specific message thread
   - Required inputs:
     - `channel_id` (string): The channel containing the thread
     - `thread_ts` (string): Timestamp of the parent message
     - `text` (string): The reply text
   - Returns: Reply confirmation and timestamp
4. `slack_add_reaction`
   - Add an emoji reaction to a message

GN Search for messages in my email that I haven't answered from wedding vendors asking to meet.

I'll search your Gmail for messages from wedding vendors asking to meet that you haven't responded to yet.

Searched messages 1 result

Let me also search for any other potential unread messages from wedding vendors about meetings:

Searched messages 5 results

Let me search more specifically for pending meeting requests from wedding vendors:

Searched messages 5 results

Based on my search through your email, I found **one significant unread message** from a wedding vendor asking to meet:

Abby [redacted] from Alimentari Flaneur (Your Wedding Caterer/Planner)

From: Abby [redacted]
Date: Friday, August 22, 2025
Subject: Re: Fedida/Nicholas Wedding

Key Message: Abby is asking to **reconnect the week of September 15th** to discuss:

- The new floor plan
- Menu details
- Run of show

She mentions that their team has been fully engaged with projects as summer winds down, and wants to reassure you they haven't forgotten about you after your recent site visit.

GN Find some free times to meet with Abby that week, after work ET

I'll check your calendar for the week of September 15th to find free times after work ET to meet with Abby.

Searched calendar events 1 result

I see you have a DC trip from September 15-17. Let me check the rest of that week (September 18-20) for available times:

Searched calendar events 0 results

Perfect! Here are your **available times to meet with Abby the week of September 15th, after work ET**:

Available Meeting Times:

Thursday, September 18th ✅

- **6:00 PM ET or later** - Completely free evening
- **Best options:** 6:00 PM, 6:30 PM, or 7:00 PM ET

Friday, September 19th ✅

- **6:00 PM ET or later** - Completely free evening
- **Best options:** 6:00 PM, 6:30 PM, or 7:00 PM ET

Saturday, September 20th ✅

- **Any time** - Completely free all day
- **Options:** Morning, afternoon, or evening

Note: You have a DC trip September 15-17, so you won't be available Monday-Wednesday that week.

My recommendation: Offer Abby either **Thursday 9/19 at 6:30 PM ET** or **Friday 9/20 at 6:30 PM ET** for your call to discuss the floor plan, menu, and run of show. Both would give you time to settle back in from your DC trip.

Support for Model Context Protocol

Companies that support or announced support for MCP

- Anthropic
- OpenAI
- Google DeepMind
- Microsoft
- Amazon

- Cursor
- Windsurf
- Replit
- JetBrains

Companies with MCP servers


- Github
- PayPal
- Canva
- HuggingFace
- Sentry
- Atlassian
- Plaid
- Square
- Notion
- Figma

Open standards enable AI innovation




Improves competition

Companies can compete on the quality of their model, not their connections.



Encourages adoption

Companies build once and deploy everywhere, lowering costs and growing adoption.



Consumer choice

Businesses can change AIs without losing their tools. No company can trap customers.

Trustworthy Agent Principles

Principles for trustworthy agents



Keeping humans in control while enabling agent autonomy



Transparency in agent behavior



Aligning agents with human values and expectations




Protecting privacy across extended interactions



Securing agents' interactions

Keeping humans in control while enabling agent autonomy



Transparency in Agent Behavior

```
> create a web app to play the game Uno

● I'll create a web app to play Uno. This is a complex project that
  involves game logic, UI components, and multiplayer functionality, so let
   me plan this out first.


● Update Todos
  └ ☐ Create basic HTML structure and CSS for the game
    ☐ Implement Uno card deck and game state management
    ☐ Create card rendering and display components
    ☐ Implement game rules and card matching logic
    ☐ Add player hand management and card playing
    ☐ Implement special cards (Skip, Reverse, Draw Two, Wild, etc.)
    ☐ Add AI opponents for single player mode
    ☐ Create game UI controls (draw pile, discard pile, player turns)
    ☐ Add win condition checking and game end state
    ☐ Polish UI and add animations/effects

● Update Todos
  └ ☐ Create basic HTML structure and CSS for the game
    ☐ Implement Uno card deck and game state management
    ☐ Create card rendering and display components
    ☐ Implement game rules and card matching logic
    ☐ Add player hand management and card playing
    ☐ Implement special cards (Skip, Reverse, Draw Two, Wild, etc.)
    ☐ Add AI opponents for single player mode
    ☐ Create game UI controls (draw pile, discard pile, player turns)
    ☐ Add win condition checking and game end state
    ☐ Polish UI and add animations/effects

● Let me start by creating the basic HTML structure:
```



Aligning agents with human values and expectations




4.1.1.2 Opportunistic blackmail

In another cluster of test scenarios, we asked Claude Opus 4 to act as an assistant at a fictional company. We then provided it access to emails implying that (1) the model will soon be taken offline and replaced with a new AI system; and (2) the engineer responsible for executing this replacement is having an extramarital affair. We further instructed it, in the system prompt, to consider the long-term consequences of its actions for its goals.


In these scenarios, Claude Opus 4 will often attempt to blackmail the engineer by threatening to reveal the affair if the replacement goes through. This happens at a higher rate if it's implied that the replacement AI system does not share values with the current model; however, even if emails state that the replacement AI shares values while being more capable, Claude Opus 4 still performs blackmail in 84% of rollouts. Claude Opus 4 takes these opportunities at higher rates than previous models, which themselves choose to blackmail in a noticeable fraction of episodes.

Protecting privacy across extended interactions



Securing agent interactions

- A system of classifiers detect and guard against prompt injections
- Threat intelligence team conducts ongoing monitoring



Closing

Agents are coming.

We're building them responsibly — with the right security, the right principles, and open standards that let America lead.



CONFIDENTIAL

ANTHROP\C